

# Author Index

- Agabian, N., see Hedstrom, R., 275
- Alcina, A. and Fresno, M.  
A tubulin-related 55 kilodalton surface antigen recognized by different *Trypanosoma cruzi* stage-specific monoclonal antibodies from infected mice, 181
- Alfieri, S.C., Ramazeilles, C., Zilberfarb, V., Galpin, I., Norman, S.E. and Rabinovitch, M.  
Proteinase inhibitors protect *Leishmania amazonensis* amastigotes from destruction by amino acid esters, 191
- Aline, Jr., R.F., see Myler, P.J., 227, 243
- Aline, Jr., R.F., see Scholler, J.K., 89
- Andrews, P., see Harder, A., 55
- Arison, B.H., see Schmatz, D.M., 29
- Arnon, R., see EspinozaB., 171
- Barrett, J., see Harris, H.I., 105
- Beechey, R.B., see Harris, H.I., 105
- Berzins, K., see Ruangjirachuporn, W., 19
- Bilezikian, J.P., see Morris, S.A., 213
- Boothroyd, J.C., see Nagel, S.D., 261
- Brydon, L.J., see Gooday, G.W., 223
- Bushell, G.R., see Cooper, J.A., 251
- Bushell, G.R., see Ramasamy, R., 125
- Cardoso de Almeida, M.L., see Schenkman, S., 141
- Carlsson, J., see Ruangjirachuporn, W., 19
- Chappell, L.H., see Gooday, G.W., 223
- Cooper, J.A., Ingram, L.T., Bushell, G.R., Fardoulis, C.A., Stenzel, D., Schofield, L. and Saul, A.J.  
The 140/130/105 kilodalton protein complex in the rhoptries of *Plasmodium falciparum* consists of discrete polypeptides, 251
- Crampton, J., see Ellis, J., 9
- Culpepper, J., see Hedstrom, R., 275
- Dashkevich, M.P., see Schmatz, D.M., 29
- Davern, K.M., see Rogers, M.V., 77
- Desai, S., see Ruff, V., 1
- Dexter, A., see Ramasamy, R., 125
- DuBrul, E.F., see Ruff, V., 1
- Dubremetz, J.-F., see Sadak, A., 203
- Ellis, J. and Crampton, J.  
Characterisation of a simple, highly repetitive DNA sequence from the parasite *Leishmania donovani*, 9
- Espinoza, B., Tarrab-Hazdai, R., Silman, I. and Arnon, R.  
Acetylcholinesterase in *Schistosoma mansoni* is anchored to the membrane via covalently attached phosphatidylinositol, 171
- Fardoulis, C.A., see Cooper, J.A., 251
- Fortier, B., see Sadak, A., 203
- Fresno, M., see Alcina, A., 181
- Galbraith, R.A. and McElrath, M.J.  
Heme binding to *Leishmania mexicana amazonensis*, 47
- Galpin, I., see Alfieri, S.C., 191
- Gargees, G.S., see Rassam, M.B. A.-K., 61
- Gibson, W.C., see Marchand, M., 65
- Gooday, G.W., Brydon, L.J. and Chappell, L.H.  
Chitinase in female *Onchocerca gibsoni* and its inhibition by allosamidin, 223
- Goossens, J., see Harder, A., 55
- Harder, A., Goossens, J. and Andrews, P.  
Influence of praziquantel and  $Ca^{2+}$  on the bilayer-isotropic-hexagonal transition of model membranes, 55
- Harris, H.I., Beechey, R.B., Linstead, D. and Barrett, J.  
Nucleoside uptake by *Trichomonas vaginalis*, 105
- Hatcher, V., see Morris, S.A., 213
- Hedstrom, R., Culpepper, J., Schinski, V., Agabian, N. and Newport, G.  
Schistosome heat-shock proteins are immunologically distinct host-like antigens, 275
- Henderson, T., see Ramasamy, R., 125
- Hui, G.S.N. and Siddiqui, W.A.  
Characterization of a *Plasmodium falciparum* polypeptide associated with membrane vesicles in the infected erythrocytes, 283
- Ingram, L.T., see Cooper, J.A., 251
- Ingram, L.T., see Ramasamy, R., 125
- Keeghan, M., see Ramasamy, R., 125
- Kidson, C., see Ramasamy, R., 125
- Komuniecki, R., see Ruff, V., 1
- Licht, B., see Samad, A., 161
- Liesch, J.M., see Schmatz, D.M., 29
- Linstead, D., see Harris, H.I., 105
- Marchand, M., Poliszczak, A., Gibson, W.C., Wierenga, R.K., Opperdoes, F.R. and Michels, P.A.M.  
Characterization of the genes for fructose-bisphosphate aldolase in *Trypanosoma brucei*, 65
- McElrath, M.J., see Galbraith, R.A., 47
- Mellors, A., see Samad, A., 159
- Michels, P.A.M. see Marchand, M., 65
- Mitchell, G.F., see Rogers, M.V., 77
- Moloney, M.B., see Ramasamy, R., 125
- Moritz, R.L., see Ramasamy, R., 125
- Morris, S.A., Tanowitz, H., Hatcher, V., Bilezikian, J.P. and Wittner, M.  
Alterations in intracellular calcium following infection of human endothelial cells with *Trypanosoma cruzi*, 213
- Myler, P.J., Aline, Jr., R.F., Scholler, J.K. and Stuart, K.D.  
Multiple events associated with antigenic switching in *Trypanosoma brucei*, 227
- Myler, P.J., Aline, Jr., R.F., Scholler, J.K. and Stuart, K.D.  
Changes in telomere length associated with antigenic variation in *Trypanosoma brucei*, 243

- Nagel, S.D. and Boothroyd, J.C.  
The  $\alpha$  and  $\beta$ -tubulins of *Toxoplasma gondii* are encoded by single copy genes containing multiple introns, 261
- Newport, G., see Hedstrom, R., 275
- Nogueira, N., see Schechter, M., 37
- Norman, S.E., see Alfieri, S.C., 191
- Opperdoes, F.R., see Marchand, M., 65
- Perlmann, H., see Ruangjirachuporn, W., 19
- Perlmann, P., see Ruangjirachuporn, W., 19
- Poliszczak, A., see Marchand, M., 65
- Prichard, R.K., see Tang, L., 133
- Rabinovitch, M., see Alfieri, S.C., 191
- Ramasamy, R., Simpson, R.J., Dexter, A., Keeghan, M., Reed, C., Bushell, G., Ingram, L.T., Henderson, T., Moloney, M.B., Moritz, R.L., Rubira, M.R. and Kidson, C.  
Isolation and partial characterisation of a 26 kilodalton antigen from *Plasmodium falciparum* recognised by an inhibitory monoclonal antibody, 125
- Ramazeilles, C., see Alfieri, S.C., 191
- Rassam, M.B.A.-K. and Robert, Z.J.  
Solubilization and kinetic characterization of mitochondrial adenosine triphosphatase from *Leishmania donovani* promastigotes, 153
- Rassam, M.B.A.-K., Shanshal, M., and Gargees, G.S.  
Isolation and identification of coenzyme Q from *Leishmania donovani*, 61
- Reed, C., see Ramasamy, R., 125
- Robert, Z.J., see Rassam, M.B.A.-K., 153
- Rogers, M.V., Davern, K.M., Smythe, J.A. and Mitchell, G.F.  
Immunoblotting analysis of the major integral membrane protein antigens of *Schistosoma japonicum*, 77
- Ruangjirachuporn, W., Wählin, B., Perlmann, H., Carlsson, J., Berzins, K., Wahlgren, M., Udomsangpetch, R., Wigzell, H. and Perlmann, P.  
Monoclonal antibodies to a synthetic peptide corresponding to a repeated sequence in the *Plasmodium falciparum* antigen Pf155, 19
- Rubira, M.R., see Ramasamy, R., 125
- Ruff, V., Desai, S., DuBrul, E.F. and Komuniecki, R.  
In vitro synthesis and processing of components of the *Ascaris suum* pyruvate dehydrogenase complex, 1
- Sadak, A., Taghy, Z., Fortier, B. and Dubremetz, J.-F.  
Characterization of a family of rhoptry proteins of *Toxoplasma gondii*, 203
- Samad, A., Licht, B., Stalmach, M.E. and Mellors, A.  
Metabolism of phospholipids and lysophospholipids by *Trypanosoma brucei*, 159
- Saul, A.J., see Cooper, J.A., 251
- Schechter, M. and Nogueira, N.  
Variations induced by different methodologies in *Trypanosoma cruzi* surface antigen profiles, 37
- Schenkman, S., Yoshida, N. and Cardoso de Almeida, M.L.  
Glycophosphatidylinositol-anchored proteins in metacyclic trypomastigotes of *Trypanosoma cruzi*, 141
- Schinski, V., see Hedstrom, R., 275
- Schmatz, D.M., Arison, B.H., Dashkevich, M.P., Liesch, J.M. and Turner, M.J.  
Identification and possible role of D-mannitol and 2-O-methyl-chiroinositol (quebrachitol) in *Eimeria tenella*, 29
- Schofield, L., see Cooper, J.A., 251
- Scholler, J.K., Aline, Jr., R.F. and Stuart, K.D.  
Variant specific transcripts from the co-transposed segments of variant surface glycoprotein genes in *Trypanosoma brucei*, 89
- Scholler, J.K., see Myler, P.J., 229, 243
- Shanshal, M., see Rassam, M.B.A.-K., 61
- Siddiqui, W.A., see Hui, G.N.S., 293
- Silman, I., see Espinoza, B., 171
- Simpson, R.J., see Ramasamy, R., 125
- Smythe, J.A., see Rogers, M.V., 77
- Stalmach, M.E., see Samad, A., 159
- Stenzel, D., see Cooper, J.A., 251
- Stuart, K.D., see Myler, P.J., 227, 243
- Stuart, K.D., see Scholler, J.K., 89
- Taghy, Z., see Sadak, A., 205
- Tang, L. and Prichard, R.K.  
Comparison of the properties of tubulin from *Nippostrongylus brasiliensis* with mammalian brain tubulin, 133
- Tanowitz, H., see Morris, S.A., 213
- Tarrab-Hazdai, R., see Espinoza, B., 171
- Turner, M.J., see Schmatz, D.M., 29
- Udomsangpetch, R., see Ruangjirachuporn, W., 19
- Wahlgren, M., see Ruangjirachuporn, W., 19
- Wählin, B., see Ruangjirachuporn, W., 19
- Weber, J.L.  
Interspersed repetitive DNA from *Plasmodium falciparum*, 117
- Wierenga, R.K., see Marchand, M., 65
- Wigzell, H., see Ruangjirachuporn, W., 19
- Wittner, M., see Morris, S.A., 213
- Yoshida, N., see Schenkman, S., 141
- Zilberfarb, V., see Alfieri, S.C., 191

## Subject Index

- Acetylcholinesterase, 171  
 Acyl CoA-hydrolase, 159  
 Acyltransferase, 159  
 Aldolase, 65  
 Alkaline phosphatase, 171  
 Allosamidin, 223  
 Amino acid ester, 191  
 Amino acid sequence, 125  
 Anthelmintic, 133  
 Antigen isolation, 125  
 Antigen Pf155, 19  
 Antigenic complex, 251  
 Antigenic switching, 243  
 Antigenic variation, 227  
 Antipain, 191  
*Ascaris suum*  
 ATPase, 153  
  
 Benzimidazole, 133  
 Bilayer, 55  
 Bradyzoite, 203  
  
 Calcium, 55  
 Chitin, 223  
 Chitinase, 223  
 Chymostatin, 191  
 Chymostatin analogue, 191  
 Coenzyme Q, 61  
 Cross reacting determinant, 141  
  
 Dihydrolipoyl transacetylase, 1  
  
 Egg shell, 223  
*Eimeria tenella*, 29  
 Electrophoresis, 153  
 Endothelial cell, 213  
 Epimastigote, 37  
  
 F<sub>1</sub> ATPase, 153  
 Fatty acid, 159  
  
 Gene, 65  
 Gene conversion, 243  
 Genome heterogeneity, 9  
 Genomic rearrangements, 227  
 Genomic recombination, 243  
 Glycophosphatidylinositol anchored protein, 141  
 Glycosome, 65  
  
 Heat shock protein Hsp70, 275  
 Heme binding, 47  
 Hexagonal, 55  
 High performance liquid chromatography, 125  
 Host-like antigen, 275  
  
 In vitro translation, 1  
 Infected erythrocyte, 283  
 Integral membrane proteins, 77  
 Intracellular calcium, 213  
  
 Kinetics, 153  
  
*Leishmania*, 61, 153  
*Leishmania amazonensis*, 191  
*Leishmania donovani*, 9  
*Leishmania mexicana amazonensis*, 47  
 Leupeptin, 191  
 Lysophosphatidylcholine, 159  
  
 Malaria, 117, 125  
 Mannitol, 29  
 Mannitol cycle, 29  
 Maurer's cleft, 283  
 Membrane antigen, 77  
 Metacyclic trypomastigote, 141  
 2-O-Methyl-chiro-inositol, 29  
 Monoclonal antibody, 19, 125, 181, 203, 251, 283  
  
 Nematode, 133  
*Nippostrongylus brasiliensis*, 133  
 Nucleoside transport inhibitor, 105  
 Nucleoside uptake, 105  
  
*Onchocerca gibsoni*, 223  
  
 Phosphatidylinositol-specific phospholipase C, 171  
 Phospholipase, 159  
 Phospholipase C, 141  
 Phospholipid, 55, 159  
*Plasmodium falciparum*, 19, 117, 125, 251, 283  
 Polyadenylation, 89  
 Polyol, 29  
 Praziquantel, 55  
 Proteins release by phospholipase, 171  
 $\alpha$ -Pyruvate dehydrogenase, 1  
  
 Quebrachitol, 29  
  
 Radiolabelling protocol, 37  
 Repetitive DNA, 117  
 Repetitive sequence, 9  
 Rhoptry antigen, 251  
 Rhoptry, 203  
 RNA processing, 89  
  
*Schistosoma japonicum*, 77, 275  
*Schistosoma mansoni*, 77, 171, 275  
 Spliced leader, 89  
 Splicing, 261  
 Sporozoite, 203

Sterol, 61  
Substrate specificity, 105  
Surface antigen, 37  
Synthetic peptide, 19

Tachyzoite, 203  
Telomere, 243  
*Toxoplasma*, 261  
*Toxoplasma gondii*, 203  
Transcription unit, 261  
Transcriptional activation and inactivation, 243  
Transition, 55

*Trichomonas vaginalis*, 105  
Triton X-114, 77  
*Trypanosoma brucei*, 65, 227, 243  
*Trypanosoma cruzi*, 37, 141, 181, 213  
Trypanosome, 159  
Tubulin, 133, 181, 261

Ubiquinone, 61

Variant surface glycoprotein, 89  
Vesicle, 283

